




**ROYAL LINE**  
**DE LUXE**  
**AND OTHER**  
**BATHROOM ACCESSORIES**



**ELABORATION AND ORNAMENTATION**  
**APPLIED FOR THE FIRST TIME TO**  
**MODERN CHINA BATHROOM ACCESSORIES**

FAIRFACTS SYMBOL



OF QUALITY

CABLE ADDRESS  
FAIRFACTS  
CODE: A.B.C. 6TH EDITION  
AND BENTLEY'S


*The Fairfacts Company*  
INCORPORATED  
234-236 WEST FOURTEENTH ST.  
NEW YORK, U. S. A.

CATALOGUE 31




# FAIRFACTS ACCESSORIES

AVAILABLE IN COLORS TO HARMONIZE  
WITH TILE OR TRIM OR PLUMBING  
FIXTURES TO ACCOMPLISH THE COLOR  
EFFECTS DESIRED






BILTIN TYPE



R 201 - 6x6  
SOAP HOLDER




## ROYAL LINE DE LUXE

ELABORATE AND ORNAMENTAL  
CHINA  
BATHROOM ACCESSORIES


AVAILABLE IN  
WHITE, BLACK, COLORS  
AND SPECIAL FINISHES

BILTIN TYPE



R 210 - 6x6  
TUMBLER HOLDER

DOWEL BACK TYPE




R 250 TOWEL BAR  
NON SLIP 7/8" SQUARE

FOR MORE DETAILS  
SEE F 300 ON  
ANOTHER PAGE

*Fairfacts*


LOOK FOR THE DOUBLE TRIANGLE



PATENTS APPLIED FOR  
MADE IN U.S.A.



CLINCHER BACK TYPE

R 205 - 4 1/4" x 4 1/4"  
SOAP HOLDER



## ROYAL LINE DE LUXE

ELABORATE AND ORNAMENTAL  
CHINA  
BATHROOM ACCESSORIES


AVAILABLE IN  
WHITE, BLACK, COLORS  
AND SPECIAL FINISHES

CLINCHER  
BACK  
TYPER 215 - 4 1/4" x 4 1/4"  
TUMBLER HOLDER

BILTIN TYPE

R 200 - 6 x 3  
SOAP HOLDERDOWEL BACK  
TYPER 280  
3 1/2" LONG

DOWEL BACK TYPE



R 260 - GLASS SHELF

SHELVES ARE  
WHITE, BLACK OR CRYSTAL  
7/16" THICK, 4 1/2" WIDE  
20"-24"-30"-36" LONG

*Fairfacts*


LOOK FOR THE DOUBLE TRIANGLE




PATENTS APPLIED FOR  
MADE IN U.S.A.




BILTIN TYPE



R 220 - 6x6  
SOAP HOLDER AND GRIP COMBINATION  
SELF DRAIN



BILTIN TYPE




R 225 - 8½ x 4¼  
SOAP HOLDER AND GRIP COMBINATION, SELF DRAIN

## ROYAL LINE DE LUXE

ELABORATE AND ORNAMENTAL  
CHINA  
BATHROOM ACCESSORIES

AVAILABLE IN  
WHITE, BLACK COLORS  
AND SPECIAL FINISHES



R 270 - 6" LONG  
TOOTH BRUSH  
HOLDER

DOWEL BACK  
TYPE

*Fairfacts*

LOOK FOR THE DOUBLE TRIANGLE



PATENTS APPLIED FOR  
MADE IN U.S.A.




# ROYAL LINE DE LUXE


ELABORATE AND ORNAMENTAL  
CHINA  
BATHROOM ACCESSORIES

AVAILABLE IN  
WHITE, BLACK, COLORS  
AND SPECIAL FINISHES


BILTIN TYPE



R 230-6x6  
PAPER HOLDER WITH PATENTED  
REWIND ROLLER




R 231-6x6  
PAPER HOLDER WITH PLAIN ROLLER




DOWEL TYPE  
R 281-2" LONG  
TOWEL HOOK  
OR STROP HOOK

BILTIN TYPE




R 240-6x6  
SPONGE HOLDER



*Fairfacts*

LOOK FOR THE

DOUBLE TRIANGLE



PATENTS APPLIED FOR  
MADE IN U.S.A.



## Originators of Built-in or Recessed China Bathroom Accessories

Look for the  Double Triangle

The Fairfacts line of china recessed bathroom accessories is one of the most extensive obtainable, is covered by many United States patents and was the first of this type ever manufactured.

Patented: Feb. 13, Aug. 21, Aug. 28, Sept. 11, Oct. 23, 1917; Feb. 12, May 28, July 16, 1918; and April 15, July 29, 1919.

THE FAIRFACTS COMPANY is probably the largest of its kind in the world, with all that it implies of experience, facilities and service.

That Fairfacts Bathroom Accessories have profoundly affected, have revolutionized the equipment of the modern bathroom, is demonstrated on every hand.

They are of high-grade china. The special process of manufacture, developed after many years, results in a body and surface finish of the finest quality that is also practically everlasting.

The expansion and contraction of the body and


surface finish is so nearly equal that no surface cracks or fractures occur.

Sanitary engineers call china the best and most sanitary material known for bathroom uses.

Fairfacts Fixtures are made of high grade china. There is no nickel to polish, no applied coating to wear off or chip off. They always retain their spotless appearance, maintaining the high standard of cleanliness now demanded.

The same straight, dignified lines, the same design has been carried out in the various fixtures, as with a fine dinner set; harmonizing with the plumbing fixtures and the straight lines of the tile wall.

These accessories have been widely imitated, but like most imitations, many are of poor quality, and purchasers should protect themselves by insisting upon having genuine Fairfacts Fixtures with the double triangle.



**F-115—Typical of the New Designs of the Fairfacts Regular "F" Line 1931**

See these new designs on pages devoted to "F" Line; soap holders, sponge holders, etc., etc.

### General Information

Self-drain soap holders are used with showers, when in compartments or over bathtubs. F-129, F-149 recess with spout drain, and F-0125x and F-0152x semi-recess extended drain we believe are the only fixtures of these types made which keep the dripping water away from the walls.

F-150 Soap Holder and Wall Grip, new pattern is entirely recessed flush with the finished wall and is desirable in close quarters.


F-140 is specially suited for swimming pools, where a substantial grip is needed.

F-640 Utility Shelf is all-china.

When placed to the right and left of the lavatory, they are out of the way, but convenient for various toilet accessories.

F-850 is a high class hotel towel supply shelf, having glass shelf and china brackets that screw to wall.





• METHODS OF INSTALLING FAIRFACTS BILTIN FIXTURES IN VARIOUS TYPES OF WALLS •

## Fairfacts Fixtures Should Be Included in the Construction Work and Mentioned in the Tile Specifications

### Used with Any Type of Wall Construction or Surface Finish

INTERIOR CONSTRUCTION	BOND	WALL FINISH
Wood stud	Metal lath	Tile
Terra cotta or hollow tile	Wood lath	Plaster
Brick	Plaster board	Keene's cement
Gypsum block	Sheetrock	
Metal stud walls (thin)		

Made in tile sizes—select proper size to fit the tile.

Fairfacts Accessories are made to fit these unit sizes or their multiples, namely, 6x3, 6x6 and  $4\frac{1}{4} \times 4\frac{1}{4}$  in.

### Types of Fairfacts Fixtures and Methods of Installation

**Biltin or Recessed Type**—These are recessed almost entirely into the walls, and cemented in place when the tile or other wall finish is put on. Greatest depth required in the wall is  $3\frac{3}{4}$  in., except F-180 radiator, which needs 5 in. When used on tiled walls they should be included in the tile contract.

Recessed fixtures that are 6x3, 6x6, 6x9 and 6x12-in. require little cutting of tile when set in 6x3 or 6x6-in. tile. These fixtures can be set in  $4\frac{1}{4} \times 4\frac{1}{4}$ -in. tile, but require more cutting. All  $4\frac{1}{4} \times 4\frac{1}{4}$ , 6x4 $\frac{1}{2}$  and  $8\frac{1}{2} \times 4\frac{1}{4}$ -in. recessed fixtures are used with  $4\frac{1}{4} \times 4\frac{1}{4}$ -in. tile.

**Semi-recess Type**—Recessed into the wall but 1 in. Are set like recess type and are used in thin partition, or where piping or other obstructions are found in walls. Are cemented in place and have a flange that overlaps the aperture.

**Projecting Types**—Have special backs or wall attachments cementing to wall.

These backs are of two kinds: "Dowel Back Type" and "Clincher Back Type."

**Dowel Back Fixtures**—Depth required in wall is 1 in. Dowels are heavy and strong and make a substantial wall attachment.

**When Set in Tile Walls**—Usually set after the tile is in place. A hole of size and depth of dowel, but slightly larger, is made in wall. Dowel is covered with rich cement or plaster of paris and fixture pushed into place.

**Note:** Make holes in tile preferably at intersection of tile joints. Be sure hole is not too large to be concealed by fixture.


**When Set in Keene's Cement or Plaster Walls**—Hole is cut in wall and fixture pushed into place as for tile wall, but it is desirable that pieces of studding with their wide sides towards front be nailed to studs (flush with face of studs) and hole cut in the pieces of studding (see illustration).

**Clincher Back Fixtures**—Made in tile sizes to avoid cutting the tile. Depth needed in wall is  $\frac{3}{4}$  in.

**When Set in Tile Walls**—Installed when setting tile or opening of right size is left in tile work and fixtures set later. Make openings deep enough for liberal quantity of rich cement or plaster of paris and also cover the back of fixtures and fill the clinchers with the cement. Then tamp fixtures into place until glazed surface is flush with the finished wall.


**When Set in Keene's Cement or Plaster Walls**—Set fixtures before applying finish coat to wall. Expose the lath where fixtures are to go and set as for tile walls.

**Note:** For walls with wood stud interior and sheetrock or plaster board bond, see illustration for method of preparing opening. After opening is prepared set fixtures as described for "When set in Tile Walls." See page 10 for more installation data.



• INSTALLATION OF DOWEL CLINCHER & SEMI-RECESS TYPE OF FIXTURE •





\*Typical fixture. Others in same paragraph below identical except for size.

To simplify the selection of fixtures we illustrate only the key patterns or types of fixtures. The typical fixture is first noted in the text and


others like it follow in the same paragraph. The other fixtures illustrated need no other description.

F-115-6x6 Recess Soap Holder (typical), F-100-6x3, F-105-4 1/4 x 4 1/4, F-110-6x4 1/4, F-112-8 1/2 x 4 1/4, F-116-9x6, F-117-12x6.  
 F-125-6x6 Recess Soap Holder Self-drain (typical), F-120-6x3, F-121-4 1/4 x 4 1/4, F-122-6x4 1/4, F-123-8 1/2 x 4 1/4, F-126-9x6, F-127-12x6, F-128-12x6 Double.  
 F-500-4 1/4 x 4 1/4 Clincher Back Soap Holder (typical), F-400-6x3.  
 F-503-4 1/4 x 4 1/4 Clincher Back Tumbler Holder (typical), F-403-6x3.  
 F-504-8 1/2 x 4 1/4 Clincher Back Tumbler, Tooth Brush, and Paste Holder (typical), F-404-9x3.  
 F-517-4 1/4 x 4 1/4 Clincher Back Tumbler Tooth Brush (typical), F-417-6x3.  
 F-505-4 1/4 x 4 1/4 Clincher Back Tooth Brush and Paste, (typical), F-405-6x3.

F-151-6x6 Recess Combination Soap and Grip (typical), F-190-6x4 1/4, F-191-8 1/2 x 4 1/4, F-153-9x6.  
 F-152-6x6 Recess Combination Soap and Grip (typical), F-158-6x3, F-195-6x4 1/4, F-196-8 1/2 x 4 1/4, F-154-9x6, F-172-12x6 Double.  
 F-581-4 1/4 x 4 1/4 Clincher Back Tooth Brush Holder (typical), F-481-6x3.  
 F-550-8 1/2 x 4 1/4 Clincher Back Wall Grip (typical), F-450-6x3, F-451-9x3.  
 F-590-4 1/4 x 4 1/4 x 4 long Clincher Back Towel Hook (typical), F-490-3x3x4 long, F-491-3x3x6 long.  
 F-341-3 1/2 long Dowel Back Towel Hook (typical), F-340-4 long.  
 F-0115-6x6 Semi-recess Soap Holder (typical), F-0100-6x3.  
 F-0125-6x6 Semi-recess Soap Holder, Self-drain (typical), F-0120-6x3, F-0125x-6x6 Extended Drain.  
 F-0152-6x6 Semi-recess Soap and Grip (typical), F-0158-6x3.

Look for the  Double Triangle





### Fairfacts Towel Bars with China Posts

Bars are of several kinds, i.e.: 7/8 in. square set edge up, called non-slip because towels do not slip off.

These are made in pyralin finish, white, black and colors and in glass white, black and crystal.

Bars 1 in. round are also furnished in pyralin and glass, otherwise as above mentioned.

Regular lengths center to center of posts are: 18, 24, 30, 36, 42 and 48 in., the last two having also a center post. Other lengths to order.

Below is a table of posts, all of substantially same design but with different wall attachments and having designating numbers. Specifications should include quantity, state number and type, length and color, thus: 24—F-300 non-slip pyralin bars, 18 in. long white, or 12—F-600 round glass bars 30 in. long crystal.

No. F-300—Dowel back type.

No. F-430—Clincher back type, 6x3 back.

No. F-530—Clincher back type, 4 1/4 x 4 1/4 back.

No. F-600—Clincher back type, 3x3 back.

No. F-307—Dowel back type has two 5/8-in. square bars, pyralin finish only, and in the same regular lengths up to 36 in.


### Fairfacts Glass Shelves with China Brackets

Glass can be furnished in white, black and crystal.

Shelves are 5 in. wide. Those with serial number ending in 0 rest on the brackets. Those with serial number ending in 5 are bolted to brackets.

Length, in.	Dowel back type	Clincher back type
18, 24, 30, 36	F-320	6x3 4 1/4 x 4 1/4 3x3
20, 24, 30, 36	F-325	F-460 F-560 F-620
		F-465 F-565 F-625

Note: F-324 is like F-320, except that shelf is held in place by metal clamps and set screws at back of shelf.



### Fairfacts Toilet Paper Holders

F. 1—Has patented rewind roller, see section, keeps paper wound neatly. Is perhaps the best fixture of its type; shown in larger detail because of its unusual merit. Takes rolls of 1000 sheets paste-board cores 1 1/4 in. diameter.

F. 31—Also has the patented rewind roller.

F. 30 same as F. 31, except with plain roller.

F. 2—Has plain roller, takes rolls of medium diameter.

F. 411—Has patented rewind roller.

F. 410—Same as F. 411, has plain roller.


F. 03—Takes rolls of large diameter.

F. 25, F. 26, F. 27, F. 28, F. 025—All take patented folded paper. F. 27 also has spring to keep tension on paper.

F. 60—Heavy cast metal, baked finish white, black or colors, takes largest sheet paper. Fixture shown in large detail because of its unusual merit.

Look for the  Double Triangle






F 9900, F 9910, F 9950 and F 9960 are substantial and attractive metal towel supply shelves for hotels, etc. They screw to the wall and are regularly finished in baked white enamel, but can be furnished in black or colors.

The arched openings for electric light fixtures in F 9950 and F 9960 are 6 3/4 in. wide and 4 in. high. All these shelves screw to wall.

F 640 Utility Tray is all-china, clincher back, and may be used in place of regular glass shelves, where less projection from wall is necessary.

F 800, F 805 and F 810 are metal hooks regularly finished in baked white enamel, but can be furnished in black or colors.

All these hooks screw to wall.



F 180 Radiator is furnished with all equipment illustrated; wiring only needed by contractor.

F 425 3x3 and F 525 4 1/4 x 4 1/4 Razor Blade Tiles are cemented to wall like any tile, but space back of them should be provided for the discarded blades.

F 710 Electric Lighting Fixture has wall hanger, chain-pull socket and china housing.

F 720 Sanitary Tile Ring is of china for 3/4, 1, 1 1/4, 1 1/2 and 2-in. iron pipe size pipes and prevents water on the bathroom floor from running down into the room below.


F 740 8x1x5-in. hole Sanitary Water Closet Ring is made of unglazed china and used on the water closet waste or outlet connection in fireproof buildings.

Look for the




Double Triangle






ELEVATION "A"




ELEVATION "B"



KEY TABLE TO FAIRFACTS ACCESSORIES

Cat. No.	Article
F-1	Biltin China Roll Paper Holder
F-115	Biltin China Soap Holder
F-135	China Soap, Sponge or Brush Holder
F-151	Biltin China Combination Soap Holder and Wall Grip
F-152	Biltin China Combination Soap Holder and Wall Grip
F-160	Biltin China Tumbler Holder
F-170	Biltin China Sponge Holder
F-180	Biltin China Electric Bathroom Radiator
F-301	Nonslip Towel Bar with China Posts (24 in. long)
F-305	Nonslip Towel Bar with China Posts (48 in. long)
F-321	White Glass Shelf with China Brackets (24 in. long)
F-330	China Tooth Brush Holder
F-340	China Hook for Robes, etc. (4 1/2 in. long)
F-342	China Hook for Strop, Douche, etc. (2 in. long)
F-685	China Bathroom Seat
F-700	China Stop
F-710	China Light Fixture
F-5001	Medicine Cabinet



ELEVATION "C"

## TYPICAL BATHROOM SHOWING FAIRFACTS ACCESSORIES

## Suggested Standard Specification

**Bathroom Accessories**—(1) The tile contractor shall furnish and set China Bathroom Accessories as manufactured by THE FAIRFACTS CO., INC., New York, N. Y., in accordance with the subjoined specification and schedule of accessories.

(2) **Setting Biltin (Recessed Type)**—(a) In stud and metal lath partitions, cut the metal lath across the top of the opening and down the two sides; bend the flap back to form a shelf and fill the space around the opening with excelsior bound together with plaster of paris to form a pocket; then set the piece in rich cement in the same manner that tile is set.

(b) In masonry partitions, cut pockets and fill up any openings to prevent the escape of cement when setting.

(3) **Setting Semi-Recess Type and Projecting Fixtures**—Both clincher back and dowel back to be set while laying the tile or after it is laid. Cut hole of sufficient size to receive the back and set in rich cement mortar.

(4) **Location**—Accessories shall be set as shown on drawings or as will be directed by the architect. Care shall be taken to locate tile joints in such manner that accessories will center over fixtures without the unnecessary cutting of tile.

**Note:** In setting electric radiators, all wiring to be furnished and set by electrical contractor (see electrical wiring specifications).

**Schedule of Bathroom Accessories**

**Note:** Architect to add here the specific list of fixtures. Suggestions covering various types of residences, apartments and hotels are given on the following pages.


Fairfacts

SUGGESTED STANDARD SPECIFICATIONS AND  
SETTING HEIGHTS  
A Typical Bathroom Installation with Shower Compartment


PLATE 2




## Other Standard Fairfacts Medicine Cabinets and Mirrors




Code No.	Over all, in.	Wall opening, in.	Plain mirror, in.	Glass shelves
F-1000	16x20	13½x17½	10x14	2
F-1001	18x22	15½x19½	12x16	2




Code No.	Over all, in.	Wall opening, in.	Plain mirror, in.	Glass shelves, adj.
F-3000	18x22	15½x19½	12x16	2
F-3001	20x24	17½x21½	14x18	2
F-3002	20x26	17½x23½	14x20	3




Code No.	Over all, in.	Wall opening, in.	Bev. mirror, in.	Glass shelves, adj.
F-5000	18x24	15¼x21¼	14x20	2
F-5001	20x26	17¼x23¼	16x22	3
F-5002	22x28	19¼x25¼	18x24	3
F-5003	24x30	21¼x27¼	20x26	3




Code No.	Over all, in.	Wall opening, in.	Plain mirror, in.	Glass shelves
F-2000	18x24	15½x21½	12x12	2




Code No.	Over all, in.	Wall opening, in.	Plain mirror, in.	Glass shelves, adj.
F-4000	18x24	15½x21½	12x12	2
F-4001	18x28	15½x25½	12x16	3
F-4002	20x26	17½x23½	14x14	3




Code No.	Over all, in.	Wall opening, in.	Bev. mirror, in.	Glass shelves, adj.
F-6000	18x24	15¼x21¼	14x14	2
F-6001	20x26	17¼x23¼	16x16	3
F-6002	22x28	19¼x25¼	18x18	3
F-6003	24x30	21¼x27¼	20x20	3



Code No.	Over all, in.	Mirror, in.	Depth in wall, in.
F-9300	15½x26¾	12x16	3¾
F-9301	19½x22¾	16x12	3¾
F-9302	17½x28¾	14x18	3¾
F-9303	21½x24¾	18x14	3¾
F-9304	19½x20¾	16x20	3¾
F-9305	23½x26¾	20x16	3¾



Code No.	Over all, in.	Mirror, in.	Glass shelves, adj.
F-8000	17½x21½	12x16 Bev.	2
F-8001	19½x23½	14x18 Bev.	3




## WHITE ENAMELED STEEL FRAMED BEVELLED MIRRORS

Code No.	Over all, in.	Mirror, in.	Hangers
F-9000	15¼x21¼	14x20 Bev.	Concealed
F-9001	17¼x23¼	16x22 Bev.	Concealed
F-9002	19¼x25¼	18x24 Bev.	Concealed
F-9003	21¼x27¼	20x26 Bev.	Concealed



## "Arcadian" Recess Medicine Cabinets

*Frameless Mirror Doors—No Door Knobs—Waterproofed—Metal Backs*



**F-5800-V Series with Etched Mirror Doors**



Angle designs of mirror and cabinet follow the present-day flair.

The *French Gray Bevel* adds a delicate suggestion of frame to the mirror and eliminates double imaging in the bevel.

*Mirror Surface* in this new design gives the greatest possible reflecting area in proportion to the cabinet box.

The *Angle Moulding Flange* on the cabinet box adds symmetrical beauty when the door is opened. The *Vertical* surface is ideal to butt the tile against and the *Recreating Angle* surface affords opportunity for a finger hold for opening door. Eliminates knobs. Preserves mirror effect.

The "Arcadian" Cabinet is a harmonious unit in design, construction and ornamentation.




Cat. No.	Mirror size, in., plain or etched	Sizes and dimensions as shown in diagrams, in.							Wall opening, in.	Glass shelves, adj.
		A	B	C	D	E	G	H		
F-5800-V	14x22 etch	20	14	1 1/4	3	18 1/8	12 1/8	15 1/8	12 1/4 x 18 1/4 x 3 1/4	2
F-5801-V	16x24 etch	22	16	1 1/4	3	20 1/8	14 1/8	15 1/8	14 1/4 x 20 1/4 x 3 1/4	2
F-5802-V	18x26 etch	24	18	1 1/4	3	22 1/8	16 1/8	15 1/8	16 1/4 x 22 1/4 x 3 1/4	3
F-5803-V	18x28 etch	26	18	1 1/4	3	24 1/8	16 1/8	15 1/8	16 1/4 x 24 1/4 x 3 1/4	3
F-5804-V	20x30 etch	28	20	1 1/4	3	26 1/8	18 1/8	15 1/8	18 1/4 x 26 1/4 x 3 1/4	3
F-5820-V	14x22 plain	20	14	1 1/4	3	18 1/8	12 1/8	15 1/8	12 1/4 x 18 1/4 x 3 1/4	2
F-5821-V	16x24 plain	22	16	1 1/4	3	20 1/8	14 1/8	15 1/8	14 1/4 x 20 1/4 x 3 1/4	2
F-5822-V	18x26 plain	24	18	1 1/4	3	22 1/8	16 1/8	15 1/8	16 1/4 x 22 1/4 x 3 1/4	3
F-5823-V	18x28 plain	26	18	1 1/4	3	24 1/8	16 1/8	15 1/8	16 1/4 x 24 1/4 x 3 1/4	3
F-5824-V	20x30 plain	28	20	1 1/4	3	26 1/8	18 1/8	15 1/8	18 1/4 x 26 1/4 x 3 1/4	3

Note: Series F-5800-V and F-5820-V are the same except that F-5800-V has etched mirrors and F-5820-V, plain mirrors.

## "Arcadian" Mirrors, Angle Top and Square Top


*Etched Designs or Plain, New French Gray Bevel Waterproofed Metal Backs, Concealed Hangers, "Mirrors Mounted Like a Diamond."*

(Mirrors only, not Cabinets.)



**F-5880-V Series with Plain Mirror Doors**

Code No.	Mirror size, in.	Code No.	Mirror size, in.
	Etched		Etched
F-9800-VB	14x22	F-9840-VB	14x20
F-9801-VB	16x24	F-9841-VB	16x22
F-9802-VB	18x26	F-9842-VB	18x24
F-9803-VB	18x28	F-9843-VB	18x26
F-9804-VB	20x30	F-9844-VB	20x28
	Plain		Plain
F-9820-VB	14x22	F-9880-VB	14x20
F-9821-VB	16x24	F-9881-VB	16x22
F-9822-VB	18x26	F-9882-VB	18x24
F-9823-VB	18x28	F-9883-VB	18x26
F-9824-VB	20x30	F-9884-VB	20x28



**F-890-V Series with Plain Mirror Doors, Chromium Frame**

Code No.	Size box over all, in.	Wall opening, in.	Mirror bevel, in.
			Plain
F-5880-V	14x20x4 1/4	12 1/4 x 18 1/4 x 3 1/4	14x20
F-5881-V	16x22x4 1/4	14 1/4 x 20 1/4 x 3 1/4	16x22
F-5882-V	18x24x4 1/4	16 1/4 x 22 1/4 x 3 1/4	18x24
F-5883-V	18x26x4 1/4	16 1/4 x 24 1/4 x 3 1/4	18x26
F-5884-V	20x28x4 1/4	18 1/4 x 26 1/4 x 3 1/4	20x28

Code No.	Size box over all, in.	Wall opening, in.	Mirror bevel, in.
			Plain
F-5890-V	14x20x4 1/4	12 1/4 x 18 1/4 x 3 1/4	14x20
F-5891-V	16x22x4 1/4	14 1/4 x 20 1/4 x 3 1/4	16x22
F-5892-V	18x24x4 1/4	16 1/4 x 22 1/4 x 3 1/4	18x24
F-5893-V	18x26x4 1/4	16 1/4 x 24 1/4 x 3 1/4	18x26
F-5894-V	20x28x4 1/4	18 1/4 x 26 1/4 x 3 1/4	20x28

Look for the




Double Triangle



## "Venetia" Recess Medicine Cabinets

*Frameless Mirror Doors—No Door Knobs—Waterproofed—Metal Backs*



**F-5600-V Series "Venetia" Cabinets with Etched Beveled Mirrors**

### Mirrors Only (not cabinets)

"Venetia" Mirrors only in table below. Etched or plain. Polished beveled edges. Waterproofed metal backs. Concealed hangers.



Code No.	Center mirror, in.
	Etched
<b>F-9600-VB</b>	14x20
<b>F-9601-VB</b>	16x24
<b>F-9602-VB</b>	18x26
<b>F-9603-VB</b>	18x32
<b>F-9604-VB</b>	20x34
	Plain
<b>F-9620-VB</b>	14x20
<b>F-9621-VB</b>	16x24
<b>F-9622-VB</b>	18x26
<b>F-9623-VB</b>	18x32
<b>F-9624-VB</b>	20x34

"Venetia" Mirrors only, with adjustable wings, in table below. Etched. Polished beveled edges. Waterproofed metal backs. Concealed hangers. "Mirrors Mounted Like a Diamond."

Code No.	Center mirror, in.	Wings each, in.
	Etched	
<b>F-9700-VB</b>	14x20	6x17
<b>F-9701-VB</b>	16x24	6x21
<b>F-9702-VB</b>	18x26	6x23
<b>F-9703-VB</b>	18x32	6x29
<b>F-9704-VB</b>	20x34	6x31


The "Venetia" cabinets have beveled plate glass mirrors with and without flower design cut in the back of the mirror, heavily silvered and waterproofed. A full size metal plate protects the back of the mirror and a sheet of insulating material is placed between the metal back and the mirror. The mirror door is protected from injury with a chain stop.

"Mirrors Mounted Like a Diamond."



Catalog No.	Mirror size, in. plain or etched	Sizes and dimensions as shown in diagrams, in.							Wall opening, in.	Glass shelves, adj.
		A	B	C	D	E	G	H		
<b>F-5600-V</b>	14x20 etch	17	13½	1	3¼	14½	10½	17½	10¾x14¼x3¾	2
<b>F-5601-V</b>	16x24 etch	21	15½	1	3¼	18½	12½	17½	12¾x18¼x3¾	2
<b>F-5602-V</b>	18x26 etch	23	17½	1	3¼	20½	14½	17½	14¾x20¼x3¾	2
<b>F-5603-V</b>	18x32 etch	29	17½	1	3¼	26½	14½	17½	14¾x26¼x3¾	3
<b>F-5604-V</b>	20x34 etch	31	19½	1	3¼	28½	16½	17½	16¾x28¼x3¾	3
<b>F-5620-V</b>	14x20 plain	17	13½	1	3¼	14½	10½	17½	10¾x14¼x3¾	2
<b>F-5621-V</b>	16x24 plain	21	15½	1	3¼	18½	12½	17½	12¾x18¼x3¾	2
<b>F-5622-V</b>	18x26 plain	23	17½	1	3¼	20½	14½	17½	14¾x20¼x3¾	2
<b>F-5623-V</b>	18x32 plain	29	17½	1	3¼	26½	14½	17½	14¾x26¼x3¾	3
<b>F-5624-V</b>	20x34 plain	31	19½	1	3¼	28½	16½	17½	16¾x28¼x3¾	3

## "Venetia" Cabinets with Adjustable Side Wing Mirrors



**F-5700-V Series "Venetia" Wing Cabinets with Curved Top, Etched Beveled Mirrors**

Code No.	Width over all, in.	Wall opening, in.	Door mirror, in.	Wing mirrors, in.	Glass shelves, adj.
			Etched		
<b>F-5700-V</b>	27¼	10½x14½x3¼	14x20	6x17	2
<b>F-5701-V</b>	29¼	12½x18½x3¼	16x24	6x21	2
<b>F-5702-V</b>	31¼	14½x20½x3¼	18x26	6x23	2
<b>F-5703-V</b>	31¼	14½x26½x3¼	18x32	6x29	3
<b>F-5704-V</b>	33¼	16½x28½x3¼	20x34	6x31	3

Look for the



Double Triangle





## "Parisienne" Recess Medicine Cabinets

*Frameless Mirror Doors—No Door Knobs—Waterproofed—Metal Backs*

The "Parisienne" is a cabinet with French mirrors of a superlative design exquisitely etched. The mirror is made with an enameled border 1 in. wide in either soft or brilliant color tones or in lustrous black. Black borders only are carried in stock. Colored borders will be made on special orders.

Beautiful results are obtained by putting the black or color on the back of the glass. A frame effect, 1 in. wide, without a frame.



Cat. No.	Mirror, curved top, in.	Sizes and dimensions as shown in diagrams, in.							Wall opening, in.
		A	B	C	D	E	G	H	
F-5692-V	18x28 curv.	23	17½	1	3¼	20½	14½	17½	14¾x20¼x3¾
F-5693-V	18x34 curv.	29	17½	1	3¼	26½	14½	17½	14¾x26¼x3¾
F-5694-V	20x36 curv.	31	19½	1	3¼	28½	16½	17½	16¾x28¼x3¾

See next page for illustration.

## "Parisienne" Cabinets with Adjustable Side Wings

The "Parisienne" is a cabinet with French mirrors of a superlative design exquisitely etched. The adjustable side wings are 8 in. in width. Both the mirror and wings are made with an enameled border 1 in. wide in either soft or brilliant color tones or in lustrous black.

Code No.	Box over all, in.	Wall opening, in.	Center mirror, in.	Wings, in.	Glass shelves, adj.
F-5792-V	21x23x4¼	14½x20½x3¼	Etched, 18x28	8x23	2
F-5793-V	21x29x4¼	14½x26½x3¼	18x34	8x29	3
F-5794-V	23x31x4¼	16½x28½x3¼	20x36	8x31	3

See next page for illustration.

## "Parisienne" Mirrors

"Parisienne" Mirrors only (without medicine cabinet box) are designated and described in the table below.

"PARISIENNE" MIRRORS	
Code No.	Mirror size, in.
F-9692-VB	Etched 18x28
F-9693-VB	18x34
F-9694-VB	20x36

"Parisienne" Mirror only, with side wings (without medicine cabinet box) are designated and described in the table below.

"PARISIENNE" MIRRORS WITH WINGS		
Code No.	Center mirror, in.	Wings, in.
F-9792-VB	Etched 18x28	8x23
F-9793-VB	18x34	8x29
F-9794-VB	20x36	8x31


Look for the



Double Triangle




"VENETIA"



F 5692 V SERIES  
SEE PAGE OF DETAILS


COLOR IS APPLIED  
BENEATH THE GLASS  
THERE IS NO METAL FRAME

"ARCADIAN"



F 5890 V SERIES  
CHROMIUM FRAME  
SEE PAGE OF DETAILS

"PARISIENNE"



F 5792 V SERIES  
SEE PAGE OF DETAILS

COLOR IS APPLIED BENEATH THE GLASS, THERE IS NO METAL FRAME

FAIRFACTS SYMBOL



OF QUALITY



Digitized by:



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY


<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:  
Robert Vail Cole Jr, AIA  
1962 - 2011



# BATHROOM ACCESSORIES

## MEDICINE CABINETS . . . MIRRORS




F 152

OUR  
NEW 1931 DESIGNS  
REPLACE THOSE OF  
1929 1930

SUPERLATIVE  
FINISH

WHITE  
BLACK  
COLORS



F 400

SPECIAL FINISHES



F 300

FAIRFACTS SYMBOL



CABLE ADDRESS  
FAIRFACTS  
CODE: ABC 6TH EDITION  
AND BENTLEY'S

*The Fairfacts Company*  
INCORPORATED  
234-236 WEST FOURTEENTH ST.  
NEW YORK, U.S.A.

CATALOGUE 31