
# CheBraschafters SILVER SOLDERED BATH ROOM ACCESSORIES

HAND BOOK OF SOME OF THEIR WORK





THIS Hand Book supplies a working knowledge of what is correct as regards material, construction, finish and utility in bathroom accessories.

Every type of article we manufacture is the result of earnest thought and careful judgment and the use of improved methods developed by extensive experience. Adequate material—properly distributed, harmonious designs, right construction, approved finishes and utility, all contribute to the satisfaction attending installations of  $G_{he}$  accessories. A special (and exclusive) feature, now as heretofore, is that wherever an indestructible joint is desirable, we either silver solder, electric or oxyacetylene weld it.

Co-operating with our organization is a chain of foremost dealers of unquestioned financial responsibility who display and sell Charles product.

This co-operation has contributed to our twenty-six years of success in serving discerning buyers of bathroom and lavatory accessories.

All are welcome at our factory where our methods and product may be inspected.

fi a

1 702

1

# MIRRORS THAT ENDURE WHERE STEAM AND MOISTURE ABOUND

CONTINUOUS service in bathrooms and over lavatories has proved that heat, cold and moisture have no effect whatever on Obechiassiafters Seamless, Metal Framed Mirrors. The design, construction, special preparation of material and method of assembling have made this achievement possible.

The mirror plate and metal back with moisture pad are held tightly in the frame by an invisible, mechanical arrangement at the back and sides, at the same time providing for the unequal expansion and contraction of glass and metal. It is this structural arrangement that protects the mirror plate from injury and possible displacement in shipping, handling and service.

The outstanding characteristics of elegance, durability, completeness and individuality are convincing evidence of the intrinsic value of mirrors bearing *Gladification* trade-mark.



Heavy Gauge, Seamless, Plain Flat Surface Angle Brass Frames, Wrought of One Piece and Polished, Buffed and Nickel Plated; Moisture Pial; Metal Back; Mechanical Arrangement of Assembling and Mounting; Adapted to Concealed Method of Hanging; Silvaring Guaranteed.

Herein we hat a complete line of mirrors which meet the average requirement. In addition to these, our facilities permit the manufacture of SPECIAL SIZES in the various styles, types and finishes for all institutional and commercial building installations.

Passided



French Plate Glass, One-inch Bevel

Heavy Gauge, Scamioss, Phine Flat Surface Angle Brass Frames, Wrought of One Piece and Polished, Buffed and Nickel Plated; Moisture Pad; Metal Back; Mechanical Arrangement of Assembling and Mounting: Adapted to Concealed Method of Hanging either Vertically or Horizontally; Silvering Guaranteed.




Mirror Plates without Beyel supplied on requirit

Hravy Gauge, Scamless, Plain Flat Surface Angle Brass Frames, Wrought of One Piece and Polished, Buffed and Nickel Plated, Moisture Pad; Metal Back; Mechanical Arrangement of Assembling and Monating; Adapted to Concended Method of Hanging; Silvering Guaranteed.

Paiented American Plate Glass, One-inch Bevel No. 7400 Beveled Mirror Plate 12 x 20 in. Frame 14 in. wide No. 7401 Beveled Mirror Plate 14 x 24 in. Frame 15 in. wide Mirror Platas without Bevel supplied on request No. 7407 Beveled Mirror Plate 9 x 12 in. No. 7408 Beveled Mirror Plate 10 x 16 in. No. 7410 Beveled Mirror Plate 12 x 20 in. No. 7411 Beveled Mirror Plate 14 x 24 in. Frame 12 in, wide Frame 12 in, wide Frame 14 in, wide Frame 14 in, wide Mirror Plates without Breed supplied on requisit Senare Corner France ander to order

Narrow, Medium Gauge, Senadess Plan Flat Surface Angle Brass Frames, Wrought of One Piece and Polished, Buffed and Nickel Plated; Moisture Pad; Metal Back; Mechanical Arrangement of Assembling and Mounting; Adapted to Concended Method of Hauging either Vertically or Horizontally; Silvering Guaranteed.



No. 7077 Corner Mirror-Plain Mirror Plate, each side 16 in, wide x 20 in, high. Frame 1/ in, wide

Brasserafters Standard Weight Frame and Arrangement of Assembling and Mounting are used in the construction of this mirror. It can be adapted to the concealed method of hanging.

## Adjustable Mirrors

#### Seamless Brass Frames, Nickel Plated

These Mirrors are mounted on wall brackets extending 6 inchesfrom the wall, and are provided with Ball and Socket joints, which allow the mirror to be moved to any desired angle. They may also be used with long dimension, either vertical or borizontal, and instantly changed to either position. The smooth working friction joint allows the mirror to be simply pushed to the desired angle or position, and the binding screws are never used except when it is desired to remove the mirror from the bracket.

#### French Plate Glass

No. 7041 Beveled Mirror Plate 13 s 20 in. Frame <sup>1</sup><sub>3</sub> in. wide No. 7042 Reveled Mirror Plate 16 s 24 in. Frame <sup>1</sup><sub>3</sub> in. wide Mirror Plates without Beeel supplied on request

#### American Plate Glass


No. 7440 Beveled Mirror Plate 12 s 20 in. Frame 12 in. wide No. 7441 Beveled Mirror Plate 14 s 24 in. Frame 12 in. wide Mirror Plates without Bevel supplied on request

Brasscrafters Arrangement of Assembling and Monating is used in the emitraction of these mirrors





Fare view with section of glass cut out, showing Bali and Bocket Joint No. 7041 Type

The Brosserafters



# Soap and Bath Brush Holders-Solid Brass, Nickel Plated





No. 4800. 1015 in long, 454 in. wide, 2 in. direg.


No. 4801. 1015 in. long. 434 is, wide, 2 in, deep With Wall Beacher

**Carafe Holders** 



No. 5161. Gui Glam Water Bottle

## Shaving Mirrors and Shaving Brush Holders



May be fixed in several rooms and the mirror promptly transferred for use

Che Biasscrafters

# The Use and Result of Proper Material and Right Construction in Soap Dishes

SOAP dishes which will prevent the collection of unclean deposits must be made of the right material, simple in form, and free from unnecessary joints and corners.

The soap dishes illustrated on the following pages have metal parts of heavy brass, polished, buffed and nickel plated. The ceramic parts are annealed to insure durability.

The drainers are of the proper depth and not easily displaced or injured. They are so constructed that the soap will dry quickly and not adhere thereto.

With proper material and right construction we have a soap dish for every requirement that is artistic, practical, easily cleaned, and therefore sanitary. Published

#### For Lavatory

















No. 4025. 473 v 3% in Regular Medium Size. Metal Encoved Solid Rubber Hall Feet







## Soap Dishes-Solid Brass, Nickel Plated

Patented

#### For Wall



No. 4996 575 x 275 in. Hotel er Individual Sine. Plain Edge Removable Draiper.



No. 4008 .457 x 376 in. Begular Medium Size. Photo Edge. Removable Druber.



No. 4055. 5% x 4% in. Extra Large Stat. Plain Edge Removable Dealost



No. 4096. The Y 27 or the Size. No. Urop. Basin.







No. 4828 6<sup>3</sup> e 6<sup>3</sup> e





No. 4059 52 s 4 Å in. Eatra Large Sine. Plain Edge Wall Flange Sharted for Server Allowing Variation in Distance Between Centres Homovshile Dealant



No. 4012 Regular Medium Seise Philip Edge Reinweihle Denimer



No. 1054 State Magazine Shell Desam



No. 4973 Say S 45 In. Extra Large Siles. Plane Reinforced Edge Reidial Design.

#### For Bath Tub



Special Formed Hanger for Built-in Tubs No. 4083. 5% s 4 1/2 in Extra Large Size. Heavy Half-inch by One-sighthe Loch, Half Ocul Hanges.



Special Formed Hanger for Built-in Tubs No. 4081... .534 x 4 d in. Extra Large Star. Plain Reinforced Edge. Radiat Design. Heavy Hull-inch by Greenighth Inch. Half Oval Humert




No. 4066 314 + 4 fe in. Extra Large Size. Heavy Hall-inch by One-nighth Linch, Hall Oval Hungar



No. 4080 .... -974 X 4 A 101 ExtraLarge Size Plain Reinforced Edge, Radial Design, Henvy Half-in-h by One-eighth Inch, Half Oval Hanget



No. 4020. ..... 437 = 336 in. Regular Medium Size. One-quarter Inch by One-eighth Inch, Half Round Hanger





No. 4045

61, s 3% s 11, in.

61. # 31. x 11. in.

The Brasscrafters

#### **Ceramic Linings**

Patented

#### For Lavatory and Wall















Che Brasscrafters

#### Indestructible Joints

Graphic Outline of Indestructible Joint Construction


Patiented November 26, 1912


Figure A, shows form as we make it in our process of securing an indestructible joint

Figure B, shows rod in Figure A after reforming.

Figure C, shows the rod in Figure B tightly closed by great pressure around the transvense piece. Proper soldering then secures a symmetrical, indestructible joint

This method of construction is original and exclusive with us and fixtures made in this way give the greatest security and value.









till



# Soap and Bath Brush Holders-Solid Brass, Nickel Plated



The Biosocrafters



The Biassciafters

# PRACTICAL TOWEL BARS Method of Construction and Utility

COMBINED fitness in design, proper material and right construction make our towel bars distinctive.

Fitness requires simple designs, smooth surfaces and forms.


Towel bars with these characteristics cost more for material and finish but they are easily cleaned, therefore sanitary, and new in appearance for an indefinite number of years.

Brass or annealed glass rods are used in all our towel bars.

All joints, wherever desirable, are silver soldered, making them as strong as the material itself and the wall plates are immovably secured by flanged sleeves which are sweated in, to reenforce the joint much the same as with a bicycle frame.

The short lengths in series 1600 and 1900 are used for hand bars over bath tubs. The 1612 has been tested up to a pull of 600 lbs. The larger ones are correspondingly strong.

Hand Bars are a safeguard over all modern tubs to prevent accidental falls, and are a great aid to the heavy, sick or aged bather.



The Biasscrafters

Brasscrafters No. 2100 series of bars are constructed to last indefinitely under the service to which swing towel hars are subjected. A A" steel rod is the pivot upon which the bars swing This rod pastes through the ball and bar. It is servived into the brackets so that the pillar balls at the top and bottom function as lock-nuts.





No. 3346 Constributions Fabiling Towal Ring and Ber





No. 2306 



-...14 in. long, 's in dia.



The Brosseraftero

No. 2305







Extra Heavy Tabing. Solid Ball Jointo (Vo. 4306., 34 in. High, 31 jn. Long, 91 jn. Wide. Hall-tack diameter

## Crystal Glass Towel Bars-Brass Trimmings, Nickel Plated


#### (Standardized)

#### How Moisture and Unclean Deposits are Excluded and Possible Replacement of Rod Facilitated in "Standardized" Glass Towel Bars


Glass rods as made for towel hars vary greatly in diameter and form on the ends, so that two ends of an individual rod may be very different in size and abape.

This irregularity makes moisture type joints directly between the glass and the motal brackets impossible and repair or replacement difficult and annoying.


Our perfected crystal and opal glass towel bars are "standardized" by securely fixing on the ends of each rod a metal cap having a standard sized stud, or projection, perfectly adapted to fit tightly in the standardized hole in metal brackets, thus insuring the exclusion of moisture and unclean deposits in the brackets and facility for possible replacement of the glass rod.




The Biassorafters



## Crystal Glass Swing Towel Bars—Brass Trimmings, Nickel Plated Rods are solidly cemented to the brackets





# PLATE GLASS SHELVES

Polished plate glass or vitrolite glass shelves are more readily cleaned than those of wood or marble and are not affected by acids, oils, or medicines. Shelves clamped tight to the wall collect dirt at point of contact and are unsanitary. Our shelf brackets with the fixed back stop and adjustable front clamp hold the glass securely, thus preventing accidental displacement without drilling holes in glass which tend to invite breakage with the slightest strain.

# COMBINATIONS

When limited space in the bathroom is a factor and the elimination of a large number of holes in marble, tile, or plastered walls is desired, our practical and beautiful combinations may be fastened to the walls with a minimum number of screws.

# TOOTH BRUSH AND TUMBLER HOLDERS

The tooth brush and tumbler are among the most important articles in a bathroom. A suitable place should be provided for both.

Our tumbler holders have perforated or open bottoms to prevent the accumulation of dust and moisture.

The tooth brush spreaders are made of two conical pieces, one beneath the other, with holes suitably spaced to hold the brushes in a vertical position without touching each other.

	TA	C	A				
	C				C		
	No. 36 Brack	cets and St			10.00 02		
Crystal. 34 in. thick.		Shelves 5 in. wide No. 5610		Care and a second	Shelves 6 in. wide No. 5660		
ory state	. 74 m. unca.	No. 5611 No. 5612 No. 5613 No. 5614	5 x 20 5 x 20 5 x 24 5 x 27 5 x 27 5 x 30	n. No. 5661 n. No. 5662 n. No. 5663 n. No. 5664			
Grystal	. ½ in. thick.	No. 5626. No. 5627.	5 x 20 5 x 24 5 x 27 5 x 30 5 x 30 5 x 30	n. No. 5676	6 x 20 4 6 x 24 1 6 4 27 1 6 x 30 1 6 x 30 1 6 x 33 1		
Opal.	<sup>2</sup> / <sub>16</sub> in. thick.	No. 5711 No. 5712 No. 5713	5 x 18 5 x 20 5 x 24 5 x 27 5 x 30	n. No. 5761 n. No. 5762 n. No. 5763	6 x 10 z 6 x 20 z 6 x 20 z 6 x 27 z 6 x 27 z 6 x 30 z		
-							
	Į-)	_	0		89		
	No. 3 Bracke	ets and She		S. 2.			
rest	1 in. thick.	No. 5649	Shelves 5 in. wide	No. 5650	5 6 in. wide 6 x 18 in		
-your	01 HO. HIGH	No. 5601 No. 5602	5 x 20 1 5 x 23 1 5 x 23 1 5 x 27 1 5 x 39 1	n. No. 5651	6 2 20 in 6 2 24 in 6 2 27 in 6 2 27 in 6 3 30 in		
irystal.	. ⅓ in. thick.	No. 5613 No. 5616 No. 5617 No. 5617	5 x 20 i 5 x 24 i 8 x 27 i 5 x 34 i 8 x 27 i 5 x 30 i 5 x 30 i	1. No. 5663 1. No. 5666 1. No. 5667 1. No. 5668	. 6 x 20 1 . 6 x 24 1 . 6 x 24 1 . 6 x 27 0 . 6 x 30 1 . 6 x 30 1 . 6 x 33 1		
)pal.	tin, thick.	No. 5791 No. 5792 No. 5783.	5 x 18 t 5 x 20 t 5 x 24 t 5 x 27 t 8 x 30 t	<ol> <li>No. 5751</li> <li>No. 5752</li> <li>No. 5753</li> </ol>	6 x 1N fr 6 x 20 fr 6 x 24 fr 6 x 27 fr 6 x 30 fr 6 x 30 fr		
Q	T				_		
	L	4	M				
	No. 12 Brack	ets and Sh	elves				
	No.		Shelves 5 in. wide		s 6 in. wîde		
rystal.	∃ý in. thick.	No. 5607 No. 5607 No. 5608	8 x 18 4 5 x 20 1 6 x 27 1 8 x 27 1 8 x 30 1	No. 5656 No. 5657 No. 5658	6 x 18 ia 6 x 20 io .6 x 24 io 6 x 27 in 6 x 38 in		
rystal.	14 in thick.	No. 9621 No. 5622	5 x 20 ii 	No. 5671	6 ± 20 in 6 ± 24 in 6 ± 27 in 6 ± 27 in 6 ± 33 in		
pal.	${\stackrel{*}{\Omega}}_{1}$ in thick.	No. 5705. No. 5706. No. 5707	5 x 18 1 5 x 28 it 5 x 34 it	No. 5755 No. 5756 No. 5757 No. 5755	6 x 18 in 6 x 20 in 6 x 24 in 6 x 27 in 6 x 27 in 6 x 30 in		


Gives Shelves are securely channed in all of our Brackets and hold about & of an inch from the wall, showing the back sign to be shaned. Gives Shelves in contact with the wall are very monghily and anexalizery when dirt collects behind them. Patented.

## Glass Shelves For Corner-Brass Brackets, Nickel Plated




No. 5694	Crystal Glass Shelf.	In thick, 10 in. on wall edges		No. 5794	Opal Glass Shelf
No. 5695	Ceystal Glass Shell	15 in, thick, 12 in. on wall edges	11	No. 5795	<b>Opal Glass Shelf</b>
No. 5696	Crystal Glass Shelf			No. 5794	Opal Glass Shelf

## Shelf Rails-Brass, Nickel Plated




Shell Rail shamps securely to back of shell, samps on back pillars which allows it to be raised whom domning. Rubber ball is pillar preyears see this damage to shell if sail is dropped accidentally into place

# Glass Shelves-Brass Trimming, Nickel Plated



No. 5346 Grystal Glass Shelf 24 x 5, x % in. thick, Grystal Glass Rod % in. dia. x 18 in. long No. 5347 Opal Glass Shelf 24 x 5, x % in. thick, Opal Glass Rod % in. dia. x 18 in. long



# Tooth Brush and Tumbler Holders-Brass, Nickel Plated



No. 3194. Photo Pulad final and Edge



No. 3183. Chin Itolal Reinforced High



No. 5174



No. 5129



No 5113



## Tooth Brush Holders



No. 5101. Pollahud Ghus Brash Holdre, Heavy Toork No. 5150. Opil Glass Tooth Brash Holder, Hevry



No. 8152. Polithed Glass Touth Brash Holder for it Brushes. Mediums



No. 5169 hIstal Holder for 5 Brushes



No. 5146. Tooth Brush and Tambler Hohlter



No. 5108. Adopted for 6 Drushes



No. 5148. Touth Brush and Tumble Haddee

# Tooth Brush and Tumbler Holders-Brass, Nickel Plated



No. 5192. Plain Solid Reinforced Edge



No. 5118



No. 5186 Crystal Glass Tumbler and Spreader



No. 5163. Finin solid Reinforred Edge Tooth Brush Spreader



No. 5134



No. 5130. Complete No. 5131. Without Spreader



No. 5194. Phun Solid Reschered Edar

The Minisciafters

## **Tumbler and Tooth Brush Holders**



5140. Polished Glass

Brush Holder

Tooth

No.







No. 5124

No. 5195 Plans Rollin Reinforced

Edge





No. 5123

Che Biassorafters

#### Tumbler, Tooth Brush, and Soap Holders



No. 5290. Plain Solid Reinforced Edge



No. 5230. China Tumblees



No. 5297.

No. 5291 Plain Solid Heinforced Edge. Plain Solid Reinforced Edge, Less Spreader



No. 5211. Chant Tumbler and Soop Dish-Soon Dish is Demovable No. 5233. China Tumbler and Soup Dish Soap Dish is Removable Loss Spruder



No. 5222 Crystal Glass Decorated Oblong Soup Dist No. 5223. Crystal Glass Decorated Obiong Soap Dish Less Spreader

## Tumbler, Tooth Brush and Soap Holders




No. 5202. China Tumblers and Soap Dish. Sorp Dish is Removable



No. 5294. Crystal (Type Diversitie) Obling Surge Dish





No. 5299. Phila Solid Brinford Edge Ins. Spreader

One Course caffers

### Toilet Paper Holders-Brass, Nickel Plated



No. 5430 Extra heavy Wire and Black Rubber Enamel Rall.



No. 5415. Black Rubber Enamel Roll springs into brackets.



No. 5421. Extra Heavy Conditation Rolf Paper Holder and Cigar Rest. Black Buther Examet Roll springs into ball sockets.



No. 5431 Heavy Wire and Black Bulace Esamel Roll.



No. 5439. Extra heavy Plain Design. Black Rubber Enamet Boll springs into hall sockats.



No. 5416. Extra havey. Black Rubber Enumel Roll with Itali and pintles, secured in brackets by thunkh lock catches, but may be instantly punoved.



Nu. 5453. Plain Solid Richdorved Edge. 734 in, which 314 mi. high, 224 in, think, No. 5409. Plain Solid Reinforced Edge. Extra Reavy. 734 in, wide, 555 in. high, 237 m. think.



No. 5451. Plan Balld Reinforced Edge. 5124 in wide, 714 in. high, 214 in. thick.



No. 5417. Extra heavy, Brass Roll, with finages and ball end pixtles, setured in fractices by thimb lock catches, but may be instantly removed.




No. 3403. Plain Edge Eatra Howy. 714 in. wide, 514 in. high, 214 in. thick.

## Lock Roll Toilet Paper Holders-Brass, Nickel Plated



No. 5424. Exira Heavy, Wrought Brass, Lock Roti



No. 5419. Extra Heavy, Cari and Wrought Brass, Lock Rull



No. 5435. Contre to walk 3 in. Entre Heavy, Look Roll | No. 5436. Contre to walk 21 in. Medham. Look Holl |

### Match Holders and Trays-Brass, Nickel Plated



Safety Match Box Holder and Ash Tray With Rabber Feet No. 4136. Polished Brass No. 4133. Nickel Flated



Safety Match Box Holder and Round Tray

No. 4178. Polished Brass No. 4179. Nickel Flated

### Cigar Rests and Newspaper Holders







No. 4198. Cause, Newspaper and Match Box Holder Extra Heavy

Ohe Brasserafters

### Hooks-Cast and Wrought Brass, Nickel Plated



No. 5504



**R** 



B

No. 5524 Water or Douche hag book 1 in., with wall flauge, 11j in dispositer.



No. 5528 Water or Dourhehag book 1) j in., with Oval wall flange, 2 g in. a 1) j in.



No. 5539 Water or Douchs bag hook: Projects 325 in Oval wall figures 2 & in. r 14, in.



No. 5526 Water or Dearlie bug hook 134 in., with wall flunge, 151 in. diameter.



No. 5519 Stray Hash



No. 5527 Rame Strop or Spray Hook. Heavy wall flange 17 a in diameter.



No. 5523 Razor Strop or Spring Hook, Oval wall flunge 214 in a 114 in.



No. 5528 Ilazor Strop of Spray Hook. Extra heavy wall flange 2 Å in, diameter.



No. 3513 Solid Single Hook for Cont of Role. Projects 235 in. Data heavy wall flange, 2 Å in. diameter



No. 5532 Spread 314 in.




No. 5534 Ppresil-417 in-



No. 4400 "4 in., t in., 114 in., 118 in., 2 in

Ohe Biassciafteta

### Hooks-Wrought Brass, Nickel Plated



No. 8512. Triple Hook, 5 in high

Che Biasscrafters

### Bath Tub Seats-Trimmings Nickel Plated

Putented



The trimmings are Heavy Hard Metal, polished, buffed and nickel plated. The Hanger arms are covered with heavy, high grade rubber tubing to protect the edges of the tub and to prevent the east from slipping.




The trimmings are Heavy Hard Metal, polithed, buffed and nickel plated. The Hanger Arms are covered with heavy, high grade rather tubing to protect the edges of the tub and to prevent the seat from slipping.



### For the Built-in Bath Tub

The ends of the Hanger Arms are sheathed in metal slides permitting instant adjustment in all whichs of tubs. No set arrays or charging devices are used.





### For the Built-in Bath Tub

#### 

The triannings are finite Heavy Brass, polished, buffed and nuclei plated. The Banger Arms are full covered with high grade rabber taking to protect the edges and older of the tub and to prevent the out from slipping.

The ends of the Hanger Arms are sheathed in metal slides paraliting instant adjustment to all widths of tube. No set serves or shamping devices are used.

### Fitted With the "Sure Grip" Universal Faucet Bulbs

Patented



#### OUR GUARANTEE


We guarantee the rubber in our "SURE GRIP" bulbs against cracking, splitting, or hurdening for fire years and will replace without charge all returned to us for these faults. Dealers, whether handling our goods or not, are authorized to do the same.



"SURE GRIP" Bulb

"SURE GRIP" Bulb with Chain

The dome-shaped body of our "Sure Grip" Bulbs is made of brass, nickel plated, and holds a special high-grade rubber funnel shaped washer. The metal and rubber parts may be instantly separated without the use of tools. We make two sizes of "Sure Grip" rubber washers; a small size for faucets  $\frac{3}{2}$ s" to  $\frac{7}{2}$ s" in diameter and a large size for faucets  $\frac{3}{2}$ " to 1" in diameter. The greater the pressure, the tighter is the grip of all faucets from  $\frac{3}{2}$ s" to 1" but where the normal faucet pressure is high we resommend the use of "Sure Grip" Bulbs with chain.



	of Roos	Consection	of Tubing	0		of Rost	Connection	of Tubing
No. 4900 No. 4930	3 in. 3 in.	Single	5 leet	Bulls with Chain	No. 4902 No. 4932	\$ in. 3 In.	Double	5 feet Bulb with Chain
No. 4901 No. 4931	4 in.	Single	5 feet	Bulb with Chain	No. 4903 No. 4933	4 10.	Double . Double	5 feet 5 feet Bulb with Chain


### "Everlasting" Bath Sprays Plain Red Rubber Tubing

These sprays are unde up with the highest grade red rather talang, which will hot an ordinary lifetune. Each spray is purfed in a buildence covered hoy with cohered show taked

	Dia of Roar	Conner-	Lingth of Tubing		Dig. of Row	Conner- tion	Lingth of Tubing
No. 4910 No. 4940 No. 4911	5 km, 3 in 4 tm.	Single	5 feet 5 feet Bully with Chain 5 feet	No. 4912 No. 4942 No. 4913	A tra. A tra. 4 tra.	Double Double Double	5 feet 5 feet - Bulb with Chain 5 feet
No. 4941.	4 in	Single	5 feet Bulb with Chain	No. 4943	4 in	Double.	5 feet Bulb with Chain

The Biassciafters

### Portable Showers-Brass, Nickel Plated



#### No. 5904

Mising Column, 3/ in. diameter.


Cartain Ring, Oval, 18 x 24 In.,

Non-dripping Shower Head, 5 in. diamater.

Certain, Duck or Builder, as desired. Rubber furnished sub-systemize stated.

Connecting Tube, extra quality rubber tabe, 5% in diameter, 7 H. long.

Faucet Connection, our SUILE ORIP Bulb to fit any size fancet. Screws for putting up, 115 in. Chritain-securing chain and honic



No. 5585

Mining Column, 1 in. docenter,

Current Ring, Round, 21 in. discreter,


Non-dripping Shower Head, 3 in. direceter,

Curtain, Dack or Hubber, as desired. Builder turnished, anless otherwise stated, Conserting Table, estra quality rubber table, 2, m. diameter, 7 ft. long.

Fancet Connection, our SURE GRIP Bulk to it may nice famet. Forewa for putting up, 115 in.

Curtain-serving chain and hoold

No. 5006 Fame in No. 2005, with Cortain Ring 25 in. diamater



Shower Curtain Pins For 57 In. of 16 In. Curtain Bing For 1 in. or 11g in. Curtain Ring



Shower Heads, 1, in. I. P. S. Non-dripping 5 in. diameter. a'; in. diameter

The Biasscrafters






Symbol of bathroom and lavatory Accessories with Concha-Head screws and GUARANTEED WHITE finish







CROSS-SECTION



Concha-Head Wood Screws are regularly furnished. Concha-Head Expansion Bolts and Toggle Bolts will be furnished special on request.

Used exclusively in the installation of the

Che Brassocafters

# Chyos as craffers

## Progress and Result of Search and Experiment For A White Finish Which We Could Guarantee in Legitimate Use

I N 1904 we were the first to make successful White Finished Brass Mirror Frames. This success led to a general inquiry and demand for a white finish on all bathroom fittings. We recognized this demand, but experience and experiment convinced us that our mirror frame process of finish was not adapted to soap dishes, paper holders, towel bars, etc.; and we were therefore compelled to seek another method, before we could place upon the market a really good, worth-the-money product, to which we were willing to attach our trade-mark and guarantee tag.

With all this demand we did not forget our responsibility to the consumer and in answer to demands for White Goods, we were compelled to state that no white finish for this class of goods had been produced, which was worth its cost to the ultimate consumer. Finally, in 1913 after nine years, we succeeded—not by any commercial processes, but by an entirely new and distinctly different method in producing the CANCHAGE which we were justified in guaranteeing.

White goods for the bathroom must possess the two characteristics—beauty and durability. Regarding the former the **GANGHIATE** will speak for itself. Regarding the latter you are protected by our guarantee.

The customer should bear in mind that any white surface, be it paper, silk, paint, enamel, or ivory, soon shows the effect of soil and abuse. However, this fact does not necessarily detract from its value. You are compelled to treat your watch with a certain amount of respect, yet you would not dispense with the same for this reason. The same applies to our White Bathroom Fixtures. Given the natural reasonable care which a beautiful article merits, they will last for many years. If the surface becomes soiled, warm water and soap will make it spotless again. Scouring or the use of chemical cleaners is not necessary.

We know from test and experience that our GMGHATEW has a six, eight, or ten times greater factor of safety against chipping than any other white now on the market, and we do therefore guarantee it for legitimate use.

Concha-head screws for putting up SWFHATErs fixtures are packed with each piece.

Brasscraffers

## FITNESS, MATERIAL AND RESULT

T HE presence of moisture and steam in the bathroom makes products manufactured of wood undesirable and the employment of metal necessary.

It was natural for us to reproduce our metal frame mirrors, towel bars, shelves, combinations, etc., in CANCHIERE


Because of the employment of simple forms, smooth surfaces, tight joints, and proper material, these fixtures possess the two characteristics,—beauty and durability:

## "STRUCTURAL" MIRRORS

HESE mirrors have frames with moulded web or flange at the outside border. This web or flauge is not mitered at the corners but, like the frames of all our mirrors, is wrought of one piece and it is this

web or flange on the border of the mirror frame which makes the whole a structural part of the panel or wall whereon it is placed. No openings or changes are required in marble or tile walls to install these and make them a part of the structure,





### Pier-Type Structural Mirrors French Plate Glass



No. 17281 Flambeau Design, taken from the Batho of Titae, used by Raphoel in building deconstrong Muone above

No. 17282 Furnpetan Design, adapted (eoo) a Pompsian wall decertation non-preserved in the Nuples annexus.

Seil Jangi 55,

Sper 2635

No. 17283 Cornacopia Design, metil fakea from the fancous baths of Titus See mass 55.

No. 17284 Dolphin Design, taken from a friere in the Barns of Agripps. See page 55.


1 1 1

No. 17280 Beveled Mirror; in mitting, Not shown.

Extreme of monified edges 22" s 38"

Mirror Plate 20" 5 28"

Seamless, Structural Brass Frame, 112" wide, funded in CANCHATTERS with concealed devices for hanging.





### Pier-Type Colonial Structural Mirrors French Plate Glass



No. 17225 Flambeau Devign, taken trees the flatte of Titus, used by Rephasit in building deconstance. Shown above. No. 17224 Beveled Micror; as rutting Not-shown Excreme of manufold edges, 22" + 32" Micror Plate, 29" + 38"

Semmless, Structural Brass Frame, 115" wide, finished in CMFH4476Erts with concented devices for hanging.



# "Structural" Mirrors-French Plate Glass, One-inch Bevel



No. 17201 Beveled Mirror Plate 13 x 20 in. Frame, 11 in. wide No. 17202 Beveled Mirror Plate 14 x 24 in. Frame, 11 in. wide : No. 17204 Bevelet Mirror Plate 21 x 30 in. Frame, 11 in. wide




Nu. 17218 Beseled Mirror Plate 12 5 18 in. Frame, 1<sup>1</sup> 5 in. side Nu. 17214 Beseled Mirror Plate 18 5 36 in. Frame, 1<sup>1</sup> 5 in. wide Nu. 17212 Beseled Mirror Plate 16 5 24 in. Frame, 1<sup>1</sup> 5 in. wide Nu. 17215 Beseled Mirror Plate 18 5 36 in. Frame, 1<sup>1</sup> 5 in. wide Nu. 17217 Beseled Mirror Plate 24 5 30 in. Frame, 1<sup>1</sup> 5 in. wide

The Marrowsin series \$7,001, 17,210, 17,221, 17,231 have convenied banatics devices which are arranged to invuice a close contact of the joint with the well. They may be mutalled with the long dimension either vertical or horizontal.




## Structural Mirrors-French Plate Glass, One-inch Bevel



No. 17223 Brooled Mirror Plate 15 x 29 in. Frame, 115 in. wide No. 17223 Brooled Mirror Plate 16 x 24 in. Frame, 115 in. wide No. 17223 Brooled Mirror Plate 37 x 30 in. Frame, 115 in. wide



No. 17234 Bevoled Mirror Place 20 in. Frame, 113 in. wide No. 17236 Bevoled Mirror Place 50 in. Frame, 113 in. wide No. 17237 Bevoled Mirror Plate 32 in. Frame, 113 in. wide For details of construction me pages 4 and 47



### Mirrors-French Plate Glass, One-inch Bevel

Patenied



No. 17001 Beveled Mirror Plate 13 x 20 in. Frame, 17 in. wide No. 17002 Beveled Mirror Plate 18 x 24 In. Frame, 17 in. wide No. 37063 Beveled Mirror Plate 18 s 30 in.] Frame, 5/ in. wide No. 17984 Beveled Mirror Plate 21 s 30 in. Frame 3/ in. wide



No. 17018 Beseloid Mirror Plate 12 x 18 in. Frame, 5, in. wide No. 17012 Beseloid Mirror Plate 16 x 24 in. Frame, 5, in. wide No. 17012 Beseloid Mirror Plate 16 x 36 in. Frame, 7, in. wide No. 17012 Beseloid Mirror Plate 18 x 36 in. Frame, 7, in. wide

These mirrors may be adopted to enterated method of hanging when desired

For details of construction see pages 4 and 0

Cibe Brasserafters



## Mirrors-French Plate Glass, One-inch Bevel

No. 17921 Heveled Mirrat Flate 13 x 20 in. Vrame, ½ in. wide No. 17622 Beveled Mirror Flate 16 x 24 in. Frame, ½ in. wide No. 17623 Beveled Mirror Flate 21 x 30 in. Frame, ½ in. wide




No. 17054 Bevelod Mirror Plate 25 in: Frame, 17 in: wide No. 17036 Beveled Mirror Plate 30 in: Frame, 35 in: wide No. 17037 Beveled Micror Plate 32 in: Frame, 1 in: wide

These sources may be adapted to conembed method of basging when desired

For details of construction are plate 1 and 6

The Brasserafters.



## Recess Medicine Cabinets Pier-Type Mirror Doors-French Plate Glass



Hapinet in building descentions. Humbrided above. No. 14000 Cabingt with Plain Mirror Plate, no cutting

NO8 Distanting	
Extreme of moulded edges	22" \ 30"
Studiade uplace	19" + 25"
Mirror mitlanor Devel	20 ~ 28 ~
Opening required for installation	Wide 19 <sup>4</sup> a <sup>2</sup> High 25 <sup>4</sup> a <sup>2</sup> Deept 4 <sup>4</sup>



### Recess Medicine Cabinets Pier-Type Mirror Doors-French Plate Glass



No. 16062 Permpetan Design, adapted from a Pumpelan wall desuration new preserved in the Naples manyum.



No. 16084 Cornucopia Design, mull taken from the farmus lighte of Titus.



No. 16884 Dolphin Design, Julan Irons a fracer in the Baths of Agroups

In designing the Recess Medicine Calonets with Pier-Type Mirror Doors, we have attained samething original and unusually benetiful. From the illustration you will see that the appearance is that of a large mirror. The body of the enhinet with its smooth, seamless interior, three adjustable white glass shelves, and ample supneity, is entirely somewhol behind the mirror.

The motifs for the mirror designs are taken from famous Romas boths, and cut, not etcloid, upon the altered side of the mirrors so that the front surface is clean and smooth.

The une-piece body and the door frame are starl accured from corrosson by an approved process, and finished in CANCELLE 1.57

The Brassurafters

11

# Charlo as cherry

### RECESS

### ONE PIECE STEEL MEDICINE CABINETS

### Some of the reasons why Satisfaction is assured

These eabinets are made entirely of steel secured from corrosion by application of an approved process.

The durable finish is the GWHITEN

The shelf rests are securely fixed, but instantly adjustable. (See sectional cut Page 61.)

The shelves are pure white vitrolite glass, impervious to acids and chemicals.


The mirror door is plain French plate glass, in scamless metal frame, with moisture pad, flush-fitting metal back, china knob in combination with spring latch, concealed hinge flanges, and loose pin for convenience in detaching the door.


The body and molding are integral, or are made so by oxyacetyline welding, thus securing a cabinet without joints, seams or cracks.

The Brass Cylinder Lock, when ordered, (see page 61), is designed and fitted to insure security and is free from construction defects.

These cabinets require no finishing, either inside or outside, at the building. They are delivered complete and are ready for immediate installation, which is completed by using two wood screws in holes provided in the middle of the vertical sides.

Guaranteed satisfaction.





No. 16025. Full Mirror Door Graphic illustration supplying roughing-in measurements for No. 16025 and No. 16035


Specification	s and Roughingsin Meanurements	No. 16025	No. 16935	
Extreme of mould	d edges	23 in. 1 29 in.	23 10. 5.29	in.
			19 In. ± 25	hei.
Mirror without be	el	18 in. x 24 in.	18 In. s 18	in:
Open Shelf under (	foor.		181/ In. x 852	in.
Wall line to face	14-4-1 (1-3 (1-1)) (1-1) (1-1) (1-1)	1 in.	100	in.
Wall line to hack	and the second s	3%i ta.	374	in.
Opening required	Wide	19% Ist-	1916	in.
for installation	High	2514 km.	2514	in.
a tra anter a construction of	Deep		334	la.
Vitrolits Glass She	Ires	acts 3	8	

Bayrled Mirror Plates supplied an require

Brass cylinder lock (see page 61) can be furnished special on request.

The door-spening of No. 10025 may be changed to right or left hand alde by simply inverting the exhinet.

# ChyBrass crafters




No. 16020. Full Mirror Door Graphic illustration supplying roughing-in measurements for No. 16020 and No. 16030


Specifications and Roughing-in Meas	urements No. 16629	No. 16030
Estreme of moulded edges	21 to. 1 27 b 17 to. 1 23 b	. 17 in. 5 23 in-
Mirror without beset Open abelt under door	16 In. x 22 In I In	19"; in. a. 5"; in.
Wall line to back	3*, ki 171, it	1. 171, in.
for installation High		

Beyeind Abrros Plates supplied on respon-

Brass cylinder listk (not page 61) can be furnlehed special as require

The door opening of No. 10020 may be changed to right or left hand side by should hererting the salinet.





Recess One-Piece Steel Medicine Cabinets



No. 16015. Part Mirror Door and Open Shell

No. 16019. Full Mirror Door Graphic illustration supplying roughing-in measurements for No. 16010 and No. 16015

Specification	s and Roughin	ng-in	Mean	uren	rents		No. 16010	No. 16015
Extreme of moulde	d edges				1.1.1		19 in. § 25 in	19 in. 3 25 in.
Body.	ALASSA AL						15 in. 1 21 in.	15 in. x 21 in.
Mirror without her	vel		11.11	111.		1111	14 in. x 20 in.	14 in. s 14 in.
Open shelf under d	lour.	$\rightarrow 0$						141: in. x 57 in.
Wall line to face.							in-	t in
Wall line to back.							3% in.	39≦ in.
Design and a second second	Wide				1.0	10.00	1514 in.	151 in.
Opening required for installation	High						21/4 in_	21 / in.
for installation	Deep						32. in.	31. 10.
Vitrofite glass shell	V#8				- In	each	2	3


Beveled Mirror Plates supplied on request

Brass cylinder lock (see page 61) can be furnished on special request.

The door-opening of No. 16610 may be changed to right or left hand side by simply loverting the onlines

# ChyBrass chothers

## One Piece Recess Steel Medicine Cabinets



Cabiner with Brass Cylinder Lock in pesition


Numbers 10010, 10015, 10020, 10025, 10030, 10035 and 10040 Cabinets may be provided with Brass Cylinder Lock when ordered

The Lock is designed and fitted to insure scourity, and freedom from construction defects,

# ChyoBrasscraffers



Section of Calimon with Brann Cylinder Lock is designed and fitted in Insure security and is free from construction defects




Sectional View of Cabinet Showing Adjustable Shell Rests



### STRUCTURAL DESIGN

### Combination Mirror and Open Shelf



No. 16658

#### SPECIFICATIONS AND ROUGHING-IN MEASUREMENTS

Steel secured from corrosion by approved process.	
The durable finish is the Court of a detail	
Extreme of moulded edges	
Mirror without hevel, moisture pad metal back	15 x 19
Open shelf with front stop, to prevent shelf from sliding out	17 11 24 12 88 14
Vitrolite glass shelf in bottom of open shelf.	17 5 4
Wall line to face.	······································
Wall line to back of open shelf	
	White 17
Opening required for recoming open whelf	High 71+
ALT WARE STREETS AND AND AND AN AVAILABLE AND A TOTAL AND A TOTAL AND A	Wide 12 \ High 7 <sup>3</sup> ; Deep 3 <sup>1</sup> ;

Delivered complete and are ready for immediate installation, which is completed by using two wood screws in holes provided in vertical sides of open shelf and two screw hooks for engaging conceiled champs on back of mirror at the top.

This beautiful and practical combination, with ample mirror surface and convenient shell, is adapted to BATHROOMS and LAVATORIES in HOTELS, APART-MENTS and DORMITORIES, WASHROOMS and LAVATORIES in PUBLIC, BUILDINGS.



### One Piece Wall Steel Medicine Cabinet



These cabinets are made entirely of steel secured from corrosion by an approved process.

The durable finish is the GMC - ----

The shelf rests are securely fixed, but instantly adjustable. (See sectional out, page 61.)

The shelves are pure white Vitrolite glass, impervious to acids and chemicals.

The mirror door is plain French plate glass, in seamless metal frame, with moisture pad, flush-fitting metal back, china knob is combination with spring latch, concealed hinge flanges, and loose pin for convenience in detaching the door.

The bady and moulding are integral, or are made so by exacetyline weiding, thus securing a cabinet without joint, seams or crocks.

The brass cylinder lock furnished when required.

They are delivered ready for immediate installation, which is completed by using four wood arrews in holes provided in the back.

#### SPECIFICATIONS AND MEASUREMENTS

Extreme of Body.	17 in. x 23 in.
Extrems Depth	414 in
Mirror, without Breel.	14 in. z 20 in.
Vitrolite glass shrives	In each 2

Beveled Mirror Plates supplied on requisit.

Brass splinder lock (see page 61) can be furnished special on request.

The disor-specing may be changed to right or hift band side by simply incerting the exhinet-



Medicine Cabinets-Brass Trimming High Grade-Wood Body



### No. 16003 Recess Cabinet

This exhine has a flat face faces, flange, which covers the edge of opening all around and fits close to the wall. The body is a band of hardwood with doverated, glued and screwood joints, with a one-piece back of non-corrotive metal, reinforced with 3-ply hydraulie glued hardwood vencered stock.

The body inside and outside and Brass Trimmings finished in CiWHITEW

Mirrar door is bevelod French plate gloss in seamless brass frame, monstrine pail, flush-litting metal back.

Metal knob is in combination with lock and friction catch

Concred hinge fining-s and lower pin for convenience in detaching the door. The shelf rests are security fixed but instantly adjustable.

The shelves are polished plate glass.

This reduces a delivered complete and is ready for installation, which is completed by two wood screws in the middle of the vertical side. The face Bange is not drilled and should not be used as a means of mounting.

	SPECIFICATIO	NN.	ANI	ERO	IGHING IN MEASUREMENTS		
Extreme of face Bange			25/ 24)	in. m.	thening equired for installation,	Wide	18% In. 24% In.
Wall line to back	- Lin		22	In. In	Pullshed Plate Glass Slivlyes	In each	ş in.

The Brasserafters



## Soap Dishes-For Wall, Lavatory and Bathtub

Patrated Seconder 21, 1913



No. 14848 Metal Enouned Solid Rubber Ball Feat Ogal Ohou Henoreable Litting



No. 1406. Metal Encoded Solid Higher Rate Opti Class Removable Lining



No. 14073





No. 14639. Opal Glass Removable Lining




No. 1667a Shi a 4 dr in. Opal Glass Removable Lining

The Brassonafters

# Chy Brassced Hers

### Soap Dishes-For Built-in Bathtub




Constructed with special hangers which may be readily reformed for built-in hiths and baths with large round, oval and flat rime.

No. 14005 Constructed with regular hangies for liathe with round, oval and flat rime.

### No. 14931.

274 1. 6 (6) 100 Constructed with special hangers which may be readily reformed for built-in boths and boths with large round, oval and flat rims.


No. 14080. Constructed with regular hingers for baths with round, oved and flat rises.




## Towel Bars




No. \$2306. It in hung a 14 in dist.



Che Biasactaftero



Che Brasscrafters




### Soap and Bath Sponge Holders Indestructible Joints

Patented November 28, 1912





No. 14245 Extra Heavy 11, in. rod-



The Brasscrafters



## Towel Baskets-Indestructible Joints




No. 14502, 10 in high, 1255 in whie 7 in back to front

Side Wall



No. 14505. 1444 in high, 1242 in, wide 582 in, back to front.

Floor



No. 14593. 17 in. high, 11/2 in. diameter For description of the method of making indestructible Jointz see page 17



### Combinations



No. 15124 Complete No. 15174 Without China Tumbler



No. 15117 Without China Tumbler No. 15167 With China Tumbler



No. 15222 Complete No. 15223 Without Spreader No. 15272 Without China Tumbler and Spreader






No. 15118 China Tumbler and Touth Brush Spreader

No. 15294 Complete No. 15288 Without Sprender No. 15289 Without China Tumblers and Spreader

Che Biasscrafters



## Tumbler and Tooth Brush Holders



No. 15156 Opai Glass Toolb Brush Holder

.



No. 15163 Tooth Break Spreeder



No. 15191 Withour China Tumbler No. 15176 With China Tumbler



No. 15195 Complets No. 15175 Without China Tumbler




Nu. 15192 Chins Tumbler and Tooth Brink fipreader

Che Brasseraftero

# GANB associations

## Combinations



No. 15298	Complete
No. 15299	Without Spreader
Nu. 15278	Without China Tumblers and Spreader



No. 15291 Complete No. 15297 Without Spreader No. 15281, Without China Tumbler and Aprender




No. 15293 No. 15274 No. 15274 Without Spreader No. 15273 Without China Tumbler and Spreader

The Biasschafters



## **Glass Shelf Combination**




 Nu. 15398
 Opal Glass Shell, 24 x 5 x A in
 Complete

 No. 15389
 Opal Glass Shell, 24 x 5 x A in
 Without Spreader


 No. 15388
 Opal Glass Shell, 24 x 5 x A in
 Without Spreader



Nu. 14801 1035 x 435 x 2 km. Scorp and Both Brank Holds-With Wall Bracket



No. 14848 1015 4 415 8 2 in. Houp unit Bach Bruch Holder



No. 14811 10% x 17, x 17; in. Susp. Both Brush of Sponge Holder



### Shelves, Brackets and Shelf Rails



Opal Glass, A in. thick-5 inches wide

Opal Ghas, & m. thick-o menes wide



### No. 13 Brackets and Shelves

No. 15780	5 s 18 in.	No. 15750	
No. 15701	5 x 30 in.	No. 18751	. 6 x 20 in.
No. 15792		No. 13752	. 6 x 24 in.
No. 15783	3 x 27 in.	No. 13753	.6 x 27 in.
No. 15784	5 x 30 in-	No. 15754	. 6 s 30 in.




#### No. 112 Brackets and Shelves

No.	15705		.2 x 18 in.	No. 19755		6 x 18 m.
No.	15706		3 x 20 in.	No. 15756		.6 x 20 is.
No.	15707		5 z 24 in.	No. 15737		6 x 24 in.
No.	15705	144	5 x 27 in.	No. 15758		6 x 27 in.
No.	15799		5 y 10 in.	No. 15759		.6 x 30 in.

#### No. 136 Brackets and Sheives

No. 15710	5 x 19 in.	No. 15712	.5 x 24 in.
No. 15711	5 ± 29 in.	No. 13713	
	No. 15714	5 x 30 in.	

Our shelves may be securely clamped in the brackets and are held about  $\vec{p}_i$  of an inch from the wull, allowing the back edge to be cleaned. Glass shelves in contact with the wall are very maightly and unsanitary when diri collects behind them. Patented.



 For Shelves
 No. 15301
 5 ± 20 in.
 No. 15306
 6 ± 20 in.

 N to A in. thick
 No. 15302
 5 ± 24 in.
 No. 45307
 6 ± 24 in.

 No. 15303
 5 ± 27 in.
 No. 15308
 6 ± 27 in.

 No. 15304
 5 ± 30 in.
 No. 15309
 6 ± 26 in.

Ohe Brasscrafters



## **De Luxe Fixtures**




No. 15149. China Tumbler and Touth Brush Spender



No. 14069, 6 a \$1) in. Entra Large Sca. China Removable Lining




No. 15149. Without China Tumbier No. 15147. With China Tumbler




		Brackets and	Shelves	
	No. 15720		No. 15768.	6 a 24 in.
Opat	No. 13721	3 1 27 10.	No. 15746.	6 a 37 in.
à in, thick	No. 15722	5 x 30 in-	No. 15767.	is a diff in.
the maintainers	No. 15733		No. 15745	providence in a All In-




## **Toilet Paper Holders**




No. 15435 Easts Heavy, Lock Holi Center to Wall 3 medics




No. 15420 Extra Reavy, Roll Springs 1010 Half Sorfiets



No. 15424 Extra fliney, Wronght, Lock Roll




Ro. 16453 - Phila Solid Reinformed Mar. The makes with Statuellas data 227 april - Birb




No. 18451 - Plain vield Reinforced Edge Sig metris while, 714 fundues high, 214 (police thick:

Ohe Winds tallow



**Recess Toilet Paper Holder** 



In Position in Wall

These Recess Toilet Paper Holders are made of cold-rolled steel secured from rorrosion by approved process. They may be installed without cutting standard size tile. They are completely finished both inside and outside in guaranteed SAMPLETE w, ready to be anchored in the wall by setting two Ts No. 7 wood screws in the vertical sides.

The opening required for installation is 6 in. x 8 in. x 23 x in.



### Hooks-Cast and Wrought



No. 15510



No. 18528 Water in Dearfur bug book 115 in., with Oval wall flamer, 7.5 in. a 115 in.



No. 15538 Water or Doarbebing book. Projects 354 in Oval wall finge 2 & in. a 154 in.



No. 15525 Razor Strop or Spray Hook. Extra heavy wall fings 7 h in. diameter.



No. 15513 Solid Ningle Hook for Coat or Robe. Projects 215 in. Extra heavy wall flange, 2 5, in. dometer



No. 15532 Spread 314 in-



No. 15514 (period 41) in:



No. 15534 Sproud 6 in



No. 15521 Military or Towel Houk 3% in long with Oval well fings 2 h s 1% in.



No. 15501 Single Hook 6 to. high

÷



No. 18526 Military or Tonol Hook 9. 66, hong. Extra heavy wall Earge 2 & in diameter





The Biassciafters



Relieve the consumer of all risk and insure value and satisfaction.



These are Actual Reproductions of the Guarantees which are Affixed to Each and Every Article We Sell

Trade Mark Registered. Patents Issued and Pending All Rights of Design, Construction and Utility Reserved

## Numerical Index and Code

serial				hade.	Serial No.		5	Page	Serial No.		
No.	Shelf	Bracket	Antes		#536	Towel Bar.	Calgroux		4:23.5	Soop and Drush Holder	
17			Aduw		2342	5 S	Calibirz	21	42.37		Farm
26		10	Admiral	28	2018	100	Callx	25	1234		Fatt.
int i	Mier	e	Admin	1.1	2624		Caim.	25	\$249	1 G	Finital
1201	Bath	This Beat.	Bail.		2718	5 5	Calorie		4241	방송 1월 1일	Fria.
1302	- 11	Care - 11	Babble	, <b>a</b> tr	2720	· · · · · · · · · · · · · · · · · · ·	Cam	25	\$275		Framp
294		1.00	Baby	-40	27.24	1 A	Caniber	25	4257		Eurnaut
1200	-		Hald	. 48)	2730	10 T	Campling	1.23	4300	Toset Bland	Fryd
210			Batchelor	1.48	27/30	20 A.	Canal	23	2.6(3)	Esp. Roll	Falle
211		N. S.	Balance	4.8	5818	5 5 K K	Cutary.	21	6.0003	Towel Dusket	Fear
212	-	21.97	Bark	4.8	2924	市 市	Constat		6.5153		Fetre.
214	77	C. 8.	Hadge	-41	2018		Calidotk.		\$5613	14	Fast
1012			Dail.	41	2020		Capital.	29	\$202		Feed
265	-	. 81	Buffalm	- 80	2924	5 5	Catrys.	- 84	4,506		Feather
412	Trees	d Blue .	Baleara .	-24	2930		Caption		1000	Real Trends \$540	Free .
414		77	thinbos.	23	25100	5 5	Caravan	- 24	.4001		Frinkt
416	1.04		Band	21	2112	5 S.	Desit	-24	47188	Towel Bar	Fint
121			Datiques	-21	2118	1 P	Dairy	-74	47611		200
620	12	100	flarge	22	3124	51 E	Dab	.24	4704		Forrigio
404			Baptism.	21	31.10	5.5	Date	-24	4740	and a start start	Enterit
130			Burgain.	.21	0126	5.50	Daff	24	41436	Irph Roller	Frain .
406	1.00		Darparle	.21	3212	5.5	Desittai.	-25	4:014	and the second s	Fuilter
312			Earley	28	3288		Diny	24	\$441	Sanp and Brush Holder.	Fann
510	1.1		flarrel	21	0224	5 5	DARGIT.	25	4100	Bath Spray	Finne
539	- 31		Barts.	21	83300	5 E	Oshlin.	25	410124	0 0	Flate
100		<u> </u>	Baton	124	3223W		Dainty.	25	4/04022		Flora
\$24			Buanar.		4000	Sorp Dish	Eiger.	1.3	4043		Fig.
130			Beach		#001	18	Eagle	1.4	4910	8 - F	Fragal
182	1.0	×	Brouty.	21	\$000	10 A	Elat.	1.9	4911		Fuerris.
115		-	Beetle		40853		Earl.	1.0	4012		Familale
1.1	-	-	Bennst	21	4008		Paves	.14	4913		Faturda
12		-14		.21	4005	G. G.	Erbu	14	41100	2 0	Fueles
10	1.1	11		23	4010		Erlipse	13	4931		Fume
14	14	11	Dellon	21	4011	10 10	Erlogter	13	1932	1 C C C C C C C C C C C C C C C C C C C	Funblet
130	1.0		Bench		4012		Entatie	34	19/33	1. A. A.	Furg_
36	1.0		Nenaime		+120						
142		÷		.21	4025			-15	4940	12 2	Fund
645	1.0		Betruy	21	4028		Elevate.	28	4544		Fulger
654			Bertur	21	1028		Emanate.		1942	10 G	Futtion
600				21	\$0.39	AL 14	Enterry	10	10.1.2		Fmilai
128		2	Beyand				Ephar	16	2000	Postable Shower	Gadler
24	1.00		Baffle	-26	4045	2 S	Educate	1.5	2669.0	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	Gall
130	1.4	1	Baltin	-26	80-64		Editorial	10	3/10/5		Cuy
140	14	<u>.</u>	Bation	- 26	4047		Enemy	10		Shower   Scin. (Do	Gabie
111		- 111 -	Bark.	-21	4045	Q1 Q1	Eshote	- 10		thends   613-in. dia	Garret
124	1		Banner.	-21	9023		Effect.	14.		Curtain 1 srinets	Guiler
525	- 12	2	Barthei	-23	8054		Ecru-	14		Plus   Finch	Gallen
		-	But	21	\$057	31.6	Kenpire	14	1491	Twith Bruch Budder	Gurbag=
6,56			Benn.	21	\$0.28		Katr	1.4	(2)(0)	Spreader	Gattieb
42				. 28	-40214		Epicate	3-8	5106	Tumbler and Spreader	Gauge
\$45				. 21	4000	17 A	Enobelm	318	2105	Tooth Bruch Halder	Gavef
117				.21	4066	Sec. 3.	Estol	15	3100	ALC: MORE AND	Grak
18				21	407.1		Eand	12	3417	Tumbler Holder	Genting
24			Beau	128	+07.0	1.5.1 (5.1.1)	Eline	11	11110	T. B. and T. Hulder	Gentle
120	1		Bear	24	407.4		Erert	1.4	3129	ALC: NOT REPORT OF A	Gloral
230			Berth.	21	+076		Entomb	10	5124		Gianl
45			Beware	21.	4030	AL 21	Erupt	8.04	38:29	Turelder Holder	GIR
60		59	Batite	01	acit/1	10. S	Extrem	15	312m	T. H. and T. Hickder	Gruhal
101		5.0	Cah	22	40%3		Ecrui	1.0	10.01	The second se	Ghuter
82			Caboone	52	4099	20.00	Ernine	846	48.317	Tumbles Huldes	Litereug
03		100	Cathe	22	4000	Set (6)	Espert	\$.2	1.834	T B and T finider	Gaung
64	2		Caroisa	22	1093		Eleper	5.8	3140		Girites.
11			C+II	25	4096		Elegy	14	5841		Give
12		100	Cellur	.25	4098	· · · · · · · · · · · · · · · · · · ·	Ellera	14	5343	0.0.2.2.1	Giules
113	100		Cemeili	25	\$130	Matsh Buides	Eator	31	3343	ALC: NO. 10.	
34			Cennis	215	4131	14 m	Farmer.	37	3140	S 10 11 11	Gigent
102		- C	Chotso.	22	41.34	Cigar Hest	Fosed	37		Tourb Brush Holder	Gally
106.		10 Aug.	Cailes	27	4125	Maten Holder			0150	LONE HARPE Hundel	Gus.
528	3	1.1	Cardet	.22	4171	Address trivited	Fiends	187	33.52		Gernland
	×.	- K.C.	Cage	21	4195		Flick	37	5198	Curate Holder.	Climins
126			a strategy of the		A \$ 30.0	New-gapor Hulder	Fattenia	-37	5474	Tumbler Holder.	: Glaum
104 104		- m	Cally	.21	4220	Sonp and Brunh Mobiler	Fan	18	3.180	Staving B Holder	Gland

Che Brasserafters

THE following is a group index of *CheroPalsciafters* Accessories in logical order which will be of assistance in the planning of the madest, as well as the hixurious Bath-room.

It will suggest the pieces which make for convenience and satisfaction in any bath and it provides a quick means of referring to groups of any particular type of accessory desired.

See Pages
Mirrors
Medicina Cubinets.
Glass Shelves
Sholf Combinations
Tumbler and Tooth Brush Holders
Wall, Lavatory and Bath Tub Soap Dishes. 12 to 18 and 65, 66, 68, 75
Bath Brush or Sonp Holders
Towel Bars for Lavatories
Hamf Rails for Bath Tubs
Towel Bars for Bath Towels
Hooks for Robes, Fountain, etc
Baskets for Used Towels
Paper Hulders
Bath Tub Sents
Stool, Chair or Bench
Batli Spinys and Portable Showers